# COTS Rugged Industrial Grade 1U Rackmount Keyboard Video Monitor

MILITARY | INDUSTRIAL | COMMERCIAL





Screen Size 17", Side-Access Keyboard and LCD Monitor

Assembled in the USA ISO 9001:2008 Certified ITAR Registered

The CCIR-17 is a unique side access, space efficient, industrial grade, high performance 1U rackmount clamshell LCD keyboard drawer offering a17-inch display. The unique side access feature minimizes required aisle space by placing the operator next to the rack instead of positioned in the aisle. There is no other 1U LCD keyboard which offers this space saving feature (patent pending).

Specifications for our standard products can always be customized to fit your unique application requirements.

In-house Engineering Department

Rapid Prototyping



## **Applications**

- Airborne Operations
- Land-based Operations
- Seaborne Operations
- Telemetry
- Diagnostics
- Simulation
- Communications
- · Imaging
- Persistent Surveillance
- UAVs
- Automation
- Severe Environment Operations

## **Features**

- · Side-access keyboard video monitor
- Lightweight aluminum construction
- Keyboard protected to NEMA 4/IP65

## Harsh Environments

Designed to meet or exceed the below environmental specifications.

#### **ALTITUDE**

10,000 ft Operational, 30,000 ft Storage

### **HIGH TEMPERATURE**

70°C Operational, 80°C Storage

#### LOW TEMPERATURE

-20°C Operational, -30°C Storage

#### **HUMIDITY**

5-95%, Non-condensing

#### **BLOWING SAND AND DUST**

Dust: 6 hours at 1750 ft/min air velocity Sand: 90 min at 40 miles/hr air velocity (bonded glass only)

#### **VIBRATION**

2G RMS 5-500Hz

#### **BENCH HANDLING SHOCK**

20G @ 11ms Duration

# COTS Rugged Industrial Grade 1U Rackmount KVM

## MILITARY | INDUSTRIAL | COMMERCIAL

## **CCIR-17 Panel Specifications**

### **DIMENSIONS**

19" X 1.75" X 24.4" (482.6mm X 44.45mm X 619.76mm)

## **ENCLOSURE DETAILS**

#### Construction

High-strength 5052-H32 aircraft-grade aluminum, solid milled front panel, includes Cable Management Arm (24.4" deep)

#### **Powdercoating**

Black per MIL-PRF-24712, Type IV, Class 3, Cardinal C214-BK110 polyester semi-gloss, fine texture

#### **Plating**

Chem-Film per MIL-C-5541F, Class 1A

#### Slides

Solid Bearing Slides (Friction Slides), 15.4-inches of travel

Lock-out button. Stainless self-locking hardware throughout

Includes Extension Bracket (0 to 6.5" extension)

Includes Extension Bracket (3 to 11" extension)

### **OPTIONAL DISPLAY ENHANCEMENTS**

#### Safety Glass

Using 3mm smudge-resistant AR coated soda lime float glass, bonded to the LCD panel with optical index matched adhesive

#### **EMI Protection**

Using a laminate of 1.1mm smudge-resistant AR coated soda lime float glass panel and a 1.1 mm ITO coated glass panel ( $<12.5\Omega/sq$ ) grounded via a copper buss bar, bonded to the LCD panel with optical index matched adhesive

### **KVM SWITCH BOX**

4-port VGA KVM with USB and PS/2 keyboard interface

Panel Details	CCIR-17	
SCREEN DIAGONAL	17"	
WEIGHT (system)	20 lbs	
CONTRAST RATIO (typical)	1000:1	
VIEWING ANGLE	80° (L/R/U/D)	
RESPONSE TIME (typical)	30ms	
NATIVE RESOLUTION	1280 x 1024	
BRIGHTNESS	$350 \text{ cd/m}^2$	
BACKLIGHT	LED	The second secon
COLORS	16.7M	
Power Details		
POWER INPUT (native 12 VDC with options)	AC input 85 to 264VAC, 1275/704 28VCD	
POWER DISSIPATION (typical)	42 Watts	
EXTERIOR POWER JACK (optional)	Yes	



## **Controller Specifications**

•	
	Standard
SUPPORTED VIDEO RESOLUTION	
VGA (640 x 480)	•
WVGA (800 x 480)	
SVGA (800 x 600)	•
XGA (1024 x 768)	•
SXGA (1280 x 1024)	•
WXGA (1366 x 768)	
WXGA (1280 x 768, 1280 x 800, 1440 x 900)	
WSXGA+ (1680 x 1050)	
HD-1080 (1920 x 1080)	
WUXGA (1920 x 1200)	
INPUTS	
Standard	
ARGB (15 Pin VGA)	•
DVI-D Input	•
PAL / NTSC / SECAM	
HDMI 1.3	
Optional	
Composite Video Input	
HD Component YPbPr	
SD Component YCbCr	
FEATURES	
Image Up-Scaling	•
/ Image Down-Scaling	
Picture In Picture	
Memory Buffer	
Sync On Green/Composite	•
DV RS-232 Serial Protocol	•
Ethernet Command Protocol	
Picture By Picture	
Text Overlay Function	
Variable Aspect	
Freeze & Zoom Function	
Programmable Hot Keys	
_	

## Power Alternative

Chassis Plans' 2U-5U rackmount computer systems are designed with a removable back plate that allows a 12V power cord to run from the computer's power supply to a display or keyboard video monitor. This optional feature, the Exterior Power Jack, is available for this monitor.

By running the display with the computer systems' power supply, this Exterior Power Jack option can provide many benefits:

- Reduction in the number of required cables
- · Elimination of additional equipment, i.e., a power brick
- · Reduction in total system weight and cost

To enjoy these benefits, power up your new display with a Chassis Plans' server.

## **Keyboard Details**

- Sealed silicone rubber keyboard
- 97 keys (Touch Pad) or 113 keys (Hula Point)
- 12 (Touch Pad) or 20 (Hula Point) function keys
- Integrated numeric pad
- High quality carbon-on-gold contacts
- Protection to NEMA 4 / IP65
- PS/2 or USB Connection
- Tactile keystroke
- 10,000,000 lifecycles per switch
- Built-in sealed Touch Pad or Hula Point mouse devices
- USB interface only on Touch Pad version
- USB or PS/2 interface on Hula Point version





## **CCIR-17 Display Photos**





19"

I/O connectors are dependent upon the options selected. See specifications for details.



Touch Point Keyboard Option



Hula Point Keyboard Option

### Who We Are

## **CHASSIS PLANS**

- Chassis Plans designs, fabricates and integrates standard and customized high-performance computing platforms and LCD monitors for military, industry, and commercial applications.
- Using COTS components, Chassis Plans provides solutions for customers who need reliable systems that will operate in a variety of harsh conditions and who require revision control and hardware consistency for multi-year programs.
- Chassis Plans is an ITAR Registered and SBA-certified small business that has been operating in Southern California for over a decade.

## YOUR CONFIGURATION. ONE PART NUMBER.

- It's our mission to make your life easier, so our Sales
   Engineers will walk you through the ordering process,
   making sure the details are resolved and that you get what you need.
- One part number means easier procurement and less paperwork for you.
- Dedicated Sales and Program Managers.
- Last time buy opportunities for end-of-life components.



Contact us today! 858.571.4330 or saleseng@chassisplans.com www.chassis-plans.com

#### Chassis Plans

10123 Carroll Canyon Road · San Diego, CA 92131