# COTS Rugged Industrial Grade 1U Rackmount Computer System

MILITARY | INDUSTRIAL | COMMERCIAL





#### Model R1U2012

Assembled in the USA ISO 9001:2008 Certified ITAR Registered

Our R1U-20 computing platform is a high-powered system in a small form factor, appropriate for computationally-intense industrial applications. It has exceptional strength and built-in redundancy, is low weight, and contains our proprietary SysCool® thermal management system. SysCool® extends the life of the computing system, reduces power consumption, and lowers overall system noise levels.

Specifications for our standard products can always be customized to fit your unique application requirements.

In-house Engineering Department

Rapid Prototyping

# **CPU & Memory Options**

- Single or Dual Intel® Xeon® E5 Series
  - o CPU options up to 2.1GHz, 8 Cores
  - Memory up to 512GB

# **Expansion Capacity**

- 3(x) 2.5" Drive Bays, Shock-Isolated
- 1(x) Slim Slot-Fed Optical Drive
- 1(x) Flash Card Reader Bay (optional)
- 2(x) PCIe x 16 (3.0) Card Slots

# **Applications**

- Airborne Operations
- Land-based Operations
- Seaborne Operations
- Telemetry
- Diagnostics
- Simulation
- Communications
- Imaging
- Persistent Surveillance
- UAVs
- Automation
- Severe Environment Operations



## **Harsh Environments**

Designed to meet or exceed the below environmental specifications.

#### **ALTITUDE**

12,000 ft Operational, 40,000 ft Storage

#### **HIGH TEMPERATURE**

40°C Operational, 70°C Storage

#### **LOW TEMPERATURE**

0°C Operational, -40°C Storage

#### **HUMIDITY**

5-95%, Non-condensing

#### **VIBRATION**

2G RMS 5-500Hz

#### BENCH HANDLING SHOCK DROP TEST

20G @ 11ms Duration

# **COTS Rugged Industrial Grade 1U Rackmount Computer System**

MILITARY | INDUSTRIAL | COMMERCIAL

Chassis Specifications  / DIMENSIONS	<b>Computer Specifications</b>	
		R1U2012
19" X 1.75" X 20" (482.6mm X 44.5mm X 508mm)	CPU	Single or Dual Intel <sup>®</sup> Xeon <sup>®</sup> Processor E5-2658 (20M, 2.10 GHz, 8.0 GT/s Intel <sup>®</sup> QPI)
WEIGHT  19.6 pounds, weight varies by configuration		OR Single or Dual Intel® Xeon® Processor E5-2648L (20M, 1.80 GHz, 8.0 GT/s Intel® QPI)
ENCLOSURE FEATURES		G112, 6.0 G1/8 litter QF1)
Construction		
Front Panel: 0.187" milled 5052-H32 aircraft-grade aluminum Enclosure Body: 0.062" 5052-H32 aircraft-grade aluminum Rear Slot Panel: 18 gauge CRS, zinc plated	_/ CHIP SET	Intel® C606, QPI up to 8.0 GT/s
Front Door	_/ MAX RAM	(16x) 240-pin DDR3, Max. 512GB
Milled aluminum with four captive closure fasteners Milled channel with environmental gasket Built in, removable, washable air filter	HARD DRIVES	Up to (3x) shock-isolated 2.5"
Drive Capacity		removable drives, standard 500GB, 7200 RPM, 64GB cache.
3(x) 2.5" shock-isolated drive bays 1(x) slim slot-fed optical drive 1(x) flash card reader bay (optional)		Other rotating media and solid state storage sizes available
Indicators	RAID OPTION	JBOD, RAID 0, 1, 5
Power on, disk access, fan failure and over temperature indicators	<b></b> <i>→</i>	
Switches	OPTICAL DRIVE	Slim Slot-Fed 8x DVDRW
Power and alarm reset switches on front panel	_ or more state	
Powdercoating		
Black per MIL-PRF-24712, Type IV, Class 3, Cardinal C214-BK110 polyester semi-gloss, fine texture	_/ EXPANSION SLOTS	(2x) PCIe x16 (Gen 3.0), 1(x) 6.7° and 1(x) 10.0° Max Length
Plating		(1-) DD 0 DC222
Chem-Film per MIL-C-5541F, Class 1A	_/ REAR I/O	(1x) DB-9 RS232 serial port, (2x) RJ45 GbE LAN ports, (4x) USB 2.0 ports, (1x) RJ45 dedicated IPMI, DB-15 VGA
FRONT USB PORTS		port, (1x) UID switch
(2x) ports USB 2.0		
/2/2771/2221/1/2	ON BOARD GRAPHICS	G200 (Renesas SH7757 BMC)
SYSTEM COOLING	<u> </u>	
(5x) 40mm, 18.4 CFM, 100K hour MTBF cooling fans Proprietary SysCool <sup>™</sup> intelligent adaptive fan controller and temperature alarm circuit board	AUDIO	NA
MOTHER BOARD CAPACITY	_/LAN	Dual Intel® i350 Gigabit Etherne ports & (1x) Realtek® RTL8211E
Designed for EATX-sized motherboard (12" X 13")		PHY (Dedicated IPMI)
POWER SUPPLY	/o/s	Windows XP® Pro, Windows 7®
Redundant 600W 110/220 Volt AC Other power options available	<i>→</i>	Pro, 32 & 64-bit Other O/S Available



# R1U-20 Photos



19"



17'





### Who We Are

#### **CHASSIS PLANS**

- Chassis Plans designs, fabricates and integrates standard and customized high-performance computing platforms and LCD monitors for military, industry, and commercial applications.
- Using COTS components, Chassis Plans provides solutions for customers who need reliable systems that will operate in a variety of harsh conditions and who require revision control and hardware consistency for multi-year programs.
- Chassis Plans is an ITAR Registered and SBA-certified small business that has been operating in Southern California for over a decade.

#### **ENGINEERED TO YOUR SPECIFICATIONS**

- In-house engineering department
- Design and build of rapid prototypes. Experience with solving difficult customer application problems through knowledge of the industry and custom system design and manufacturing capability
- Our Engineers use Solid Works 3D CAD modeling software for mechanical design and thermal simulation
- Design experience with MIL-STD-167, MIL-STD-461, MIL-STD-810, and MIL-S-901, in addition to FCC, UL, CE, and country specific agency requirements

#### YOUR CONFIGURATION. ONE PART NUMBER.

- It's our mission to make your life easier. Our Sales Engineers
  will help you select the right configuration for your project,
  making sure the details are analyzed and that the system
  meets your specifications.
- One part number means easier procurement and less paperwork for you.
- · Dedicated Sales and Program Managers.
- Last time buy opportunities for end-of-life components.

#### **FACILITY AND TEST**

- All integration work is performed in a state-of-the-art, ESD-controlled facility
- Our facility has 23,000 sqft and has dedicated 12,000 sqft to manufacturing and 3,000 sqft to engineering
- Operate to anti-static standard ANSI/ESD S20.20-2007 and electronics assembly standard IPC-A-610, Revision E-2010

#### **QUALITY COUNTS**

- ISO 9001:2008 Certified
- 100% system inspection before shipment
- All integrated systems undergo a minimum 24-hour system test and burn-in before shipment to the customer
- Assistance with 3rd party verification of system specifications
- 2-year warranty on all integrated systems and LCD monitor products
- Assembled in the USA



©2013 Chassis Plans LLC. All Rights Reserved. No part of this

document may be copied or reproduced without prior consent.